



# DETACHABLE LINING

EN ISO 20471 (2013)  
+ A1 (2016)



With sleeves

EN ISO 20471 (2013)  
+ A1 (2016)



Without sleeves

EN 14058 (2017)



## ROCKET



DO YOUR OWN  
COMBINATION

4 IN 1




SKY + ROCKET


## THE + PRODUCT



Fixed padded lining.



Zip fastening detachable sleeves.



Ribbed cuffs.



Back protector.

### REFERENCE



GILAFROCK02ON



GILAFROCK02JN

### SIZE

S to 3XL

### CARE



According to ISO 6330 4N.

## PRODUCT DESCRIPTION

- Zip fastening detachable sleeves.
- Black fixed padded lining.
- Front zip fastening with single reversible slider under the double piping.
- Officer collar.
- Ribbed cuffs.
- Collar and cuffs fasteners to fix inside the SKY parka/rain jacket.
- Back protector.
- Two zipped bottom pockets under piping.
- One self-fastening inner breast pocket.
- Two sewn microbeads retroreflective strips of 5 cm over shoulders.
- One microbeads retroreflective strip of 5 cm (M to 3XL) or 6 cm (S) around the body, sewn on.
- Two microbeads retroreflective armbands of 5 cm sewn on each sleeve.



ROCKET DETACHABLE LINING

## RAW MATERIALS

### FABRIC

- Oxford 300D 100% polyester polyurethane coated fabric. Weight: 185 g/sqm.
- 100% polyester black padded lining. Weight: 150 g/sqm.

### RETROREFLECTIVE FABRIC

- EN ISO 20471 certified microbeads retroreflective fabric. 25 washing cycles at 40°C (according to ISO 6330 4N).

## COMPLIANCE AND EXAMINATION CERTIFICATE

Compliance with the essential safety requirements has been verified using the following harmonised standards:

- **EN ISO 13688 (2013)** for protective clothing - general requirements.
- **EN ISO 20471 (2013) + A1 (2016)** for high visibility clothing.
- **EN 14058 (2017)** for protection against cool environments (from and above -5°C).

The examination certificate was awarded by Centexbel to the following model of Personal Protective Equipment:

**GILAFROCK02**  
N° 033/2019/1329

## CUSTOMIZATION

Chest heart side



Maximum dimension:  
80 x 50 mm | 60 x 60 mm

Back side



Maximum dimension:  
200 x 100 mm | 150 x 150 mm

Before production launch, we will realise a “**Ready for Print**” document for approval. This document must be a **vectorized file** ( .eps, .ai, .pds, ...) you will have transmitted us.

Due to certain technical constraints, it could be possible that we can't print your marking on desired place.

**OTHER MARKINGS, ON REQUEST**